



MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Silvan Water A550CIATION

Public Water Supply Name

130016 - 130017 - 130023 - 13004

130015 | 130021 - 130025

List PWS ID #s for all Water Systems Covered by this CCR

Commu	ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR e mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.
Please	Answer the Following Questions Regarding the Consumer Confidence Report
X	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed://
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed:/_/
X	CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
	Name of Newspaper: Daily Times LEAGER
	Date Published: 4/16/10
G	CCR was posted in public places. (Attach list of locations)
	Date Posted:/_/_
	CCR was posted on a publicly accessible internet site at the address: www
CERT)	IFICATION
onsiste	y certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is ent with the water quality monitoring data provided to the public water system officials by the Mississippi State of Health, Bureau of Public Water Supply.
Me	In Sates V. P. Title (President, Mayor, Owner, etc.) Date
Name/	2 miles
	Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2009 Drinking Water Quality Report

is my water safe?

Last year, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last years water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HiV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

Where does my water come from?

Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.

Source water assessment and its availability:

Our source water assessment is available on request.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791

How can I get involved?

Our board members meet the 2nd Monday of every month at 5:00 pm at the Siloam Water Office. Our annual meeting is the 1st Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Siloam Water Contact Information Willie Davenport – Certified Operator P.O. Box 224 West Point, Ms 39773 662-494-1852

CORRECTED COPY

Term ppm	Definition
ppb	parts per million, or milligrams per liter (mg/l)
MCL-Maximum Contaminant Level	parts per billion, or micrograms per liter (up/l)
Mor-maximum Contaminant Level	The highest level of a contaminant that is allowed in
	Johnking water. MCLs are set as close to the MCLCs
MCI G-Meximum C	jas reasible using the best available treatment technology
MCLG-Maximum Contaminant Level Goal	Title level of a contaminant in drinking water below which
	Tulete is no known or expected risk to health. McLCs
TT-Treatment Technique	Jallow for a margin of safety.
, 11 casuleut Tachinidhé	A required process intended to reduce the level of a
AL-Action Level	contaminant in drinking water.
JE-Monoit Fakel	The concentration of a contaminant which, if exceeded
	triggers treatment or other requirements which a water
ARDLG-Maximum Residual	_system must follow.
Disinfection Level Goal	The level of a drinking water disinfectant below which
visitues(fot) revel @oal	Ithere is no known or expected risk to health, MCI Gs do
1	not reflect the benefits of the use of disinfectants to
IRDL-Maximum Residual	control microbial contaminants.
isinfection Level	The highest level of a disinfectant allowed in drinking
ANTICORDIT MOACH	water. There is convincing evidence that addition of a
•	disinfectant is necessary for control of microbial
	contaminants.

Chlorine-

Well- PWS ID#	MCLG	MCL	Your Water	Low	High	Sample Date	Violation	Typical Cause
Beasley I- 130016	4	- 4	0.11				The state of the s	Typical Source
Beasley II- 130025	4	1 4	0.20				****	Water additive used
Griffith- 130015	4	4	0.15	the state of the s				to control microbes.
Gates- 130021	4	4	0.15					There is convincing
ivy Village- 130004	4	4	0.10	The state of the s				evidence that addition
Muldon- 130024	4	4	0.20	10.0			the the w	of a disenfectant is
Pine Bluff- 130017	4	4	0.11	0.10	0.12			necessary for control
Una- 130023	4	4	0.12	0.10	** **	2009		of microbial
-113	141	·	U. IE	0.10	0.15	2009	N	contaminants.

Inorganic and Radioactive Contaminants

BARIUM

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	2	2	0.06	No	1777	Discharge of drilling waste and
Beasley II-	130025	2	2	0.02	No	, , , , , , , , , , , , , , , , , , ,	metal refineries. Erosion of
Griffith-	130015	2	2	0.03			natural deposits.
Gates-	130021	2	2	0.02	No	Mar-08	•
lvy Village-	130004	2	2	0.03	No	Mar-08	
Muldon-	130024	2	2	0.07	No	Mar-08	
Pine Bluff-	130017	2	2	0.07	No	Mar-08	
Una-	130023	2	2	0.04	No	Mar-08	

FLOURIDE

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	4	4	0.73	No		Erosion of natural deposits.
Beasley II-	130025	4	4	1.10	No	100	Additive which promotes strong
Griffith-	130015	4	4	0.70	No		teeth. Discharge from fertilizer.
Gates-	130021	4	4.	0.82	No	Mar-08	
lvy Village-	130004	4	4	0.77	No	Mar-08	
Muldon-	130024	4	4	0.48	No	Mar-08	
Pine Bluff-	130017	4	4	0.38		Mar-08	
Jna-	130023	4	4	0.30	No	Mar-08	

LEAD

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0	15			T	Corrosion of household plumbing
Beasley II-	130025	0	15	0.001	No		systems. Erosion of natural
Griffith-	130015	ő	15	0.002	No		deposits.
Gates-	130021	O	15	0.003	No	Jul-07	į '
vy Village-	130004	O	15	0.002		Jul-08	
Muldon-	130024	0	15	0.001	No	Aug-04	
Pine Bluff-	130017	O	15	0.002	No	Jul-07	
Una-	130023	0.	15	0.003		Jul-08	

COPPER

D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
130016	1.3				***************************************	
130025	1.3	1.3	1/24	Account to the second		Corrosion of household plumbing
130015	1.3	1.3				systems. Erosion of natural
130021	1.3	1.3			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 .
130004	1.3					
130024	1.3	****		the second secon	1	
130017	1.3	1.3				
130023	1.3	170				
	130016 130025 130015 130021 130004 130024 130017	130016 1.3 130025 1.3 130015 1.3 130021 1.3 130004 1.3 130017 1.3	130016 1.3 1.3 130025 1.3 1.3 130015 1.3 1.3 130021 1.3 1.3 130004 1.3 1.3 130017 1.3 1.3	130016 1.3 1.3 0.60 130025 1.3 1.3 0.70 130015 1.3 1.3 0.10 130021 1.3 1.3 0.10 130004 1.3 1.3 0.00 130024 1.3 1.3 0.10 130017 1.3 1.3 0.30	130016 1.3 1.3 0.60 No 130025 1.3 1.3 0.70 No 130015 1.3 1.3 0.10 No 130021 1.3 1.3 0.10 No 130004 1.3 1.3 0.00 No 130024 1.3 1.3 0.10 No 130017 1.3 1.3 0.30 No	130016 1.3 1.3 0.60 No Jul-08 130025 1.3 1.3 0.70 No Jul-08 130015 1.3 1.3 0.10 No Jul-07 130021 1.3 1.3 0.10 No Jul-07 130004 1.3 1.3 0.00 No Jul-08 130024 1.3 1.3 0.10 No Aug-04 130017 1.3 1.3 0.30 No Jul-07

2009 CCR Contact Information

Date: 1/15/10 Time: 8:450
PWSID: 130004, 130015, 130016, 130017, 130021, 130023, 130024, 13002
System Name: Slow W/A
Lead/Copper Language Chlorine Residual (MRDL) RAA
Other Violation(S)
Will correct report & mail copy marked "corrected copy" to MSDH.
Will notify customers of availability of corrected report on next monthly bill.
Cornertum CCR and faire connector con today Sending acopy of weather fill end of months.
Spoke with Kolli (6/02-494-1853) (Operator, Owner, Secretary)

2009 Drinking Water Quality Report

Is my water safe?

Last year, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last years water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

Where does my water come from?

Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.

Source water assessment and its availability:

Our source water assessment is available on request.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791

How can I get involved?

Our board members meet the 2nd Monday of every month at 5:00 pm at the Siloam Water Office. Our annual meeting is the 1st Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Siloam Water Contact Information Willie Davenport – Certified Operator P.O. Box 224 West Point, Ms 39773 662-494-1852

Term	Definition
ppm	
ppb	parts per million, or milligrams per liter (mg/l)
MCL-Maximum Contaminant Level	parts per billion, or micrograms per liter (ug/l)
	The highest level of a contaminant that is allowed in
	drinking water. MCLs are set as close to the MCLGs
MCLG-Maximum Contaminant Level Goal	as feasible using the best available treatment technology
Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which
	there is no known or expected risk to health, MCI Gs
TT-Treatment Technique	allow for a margin of safety.
Ti-Treatment rechnique	A required process intended to reduce the level of a
AL-Action Level	contaminant in drinking water.
AL-Action Level	The concentration of a contaminant which, if exceeded,
	ringgers treatment or other requirements which a water
MBDI C Mariana Barin	system must follow.
MRDLG-Maximum Residual	The level of a drinking water disinfectant below which
Disinfection Level Goal	there is no known or expected risk to health. MCLGs do
	not reflect the benefits of the use of disinfectants to
	control microbial contaminants.
MRDL-Maximum Residual	The highest level of a disinfectant allowed in drinking
Disinfection Level	water. There is convincing evidence that addition of a
•	disinfectant is necessary for control of microbial
	contaminants.

Chlorine-

Well- PWS	· · · · · · · · · · · · · · · · · · ·		MCL	Your Water	Low	High	Sample Date	Violation	Typical Source
Beasley I-	130016	4	4	0.11	0.10				Water additive used
Beasley II-	130025	4	4	0.20	0.18	0.20	2009		to control microbes.
Griffith-	130015	4	4	0.15	0.15	0.15	2009	N	There is convincing
Gates-	130021	4	4	0.15	0.14	0.15	2009	N	evidence that addition
Ivy Village-		4	4	0.10	0.10	0.10	2009	N	of a disenfectant is
Muldon-	130024	4	4	0.20	0.19	0.20			necessary for control
Pine Bluff-	130017	4	4	0.11	0.10	0.12			of microbial
Una-	130023	4	4	0.12	0.10	0.15			contaminants.

	Definition
ppm	
ppb	parts per million, or milligrams per liter (mg/l)
MCL-Maximum Contaminant Level	parts per billion, or micrograms per liter (ug/l)
The state of the s	The highest level of a contaminant that is allowed in
	drinking water. MCLs are set as close to the MCLGs
MCI C Maximus	las reasible using the best available treatment technology
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which
	there is no known or expected risk to health. MCLGs
	allow for a margin of safety.
TT-Treatment Technique	A required process intended to reduce the level of a
	contaminant in drinking water.
AL-Action Level	The concentration of a country is
	The concentration of a contaminant which, if exceeded,
	triggers treatment or other requirements which a water
MRDLG-Maximum Residual	system must follow.
Disinfection Level Goal	The level of a drinking water disinfectant below which
Lovoi Odaj	there is no known or expected risk to health. MCI Go do
•	mor reflect the benefits of the use of disinfectants to
MPDI Maximum D	control microbial contaminants.
MRDL-Maximum Residual	The highest level of a disinfectant allowed in drinking
Disinfection Level	water. There is convincing evidence that addition of a
•	disinfectant is necessary for control of microbial
	conteminants

IC)EIT1 -	
	lorine-

0111071110									
Well- PWS		· · · · · · · · · · · · · · · · · · ·	MCL	Your Water	Low	High	Sample Date	Violation	Typical Source
Beasley I-	130016		4	0.11	0.10				Water additive used
Beasley II-	130025	4	4	0.20	0.18	0.20			to control microbes.
Griffith-	130015	4	4	0.15	0.15	0.15			There is convincing
Gates-	130021	4	4	0.15	0.14	0.15	2009		evidence that addition
Ivy Village-		4	4	0.10	0.10	0.10	2009		of a disenfectant is
Muldon-	130024	4	4	0.20	0.19	0.20	2009		necessary for control
Pine Bluff-	130017	4	4	0.11	0.10	0.12	2009	N	of microbial
Una-	130023	4	4	0.12	0.10	0.15	2009	N	contaminants.

contaminants.

ۇ. ئەر ئەر Term

Inorganic and Radioactive Contaminants

BARIUM

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	2	2	0.06	No	 	Discharge of drilling waste and
Beasley II-	130025	2	2	0.02	No		metal refineries. Erosion of
Griffith-	130015	2	2	0.03	No		natural deposits.
Gates-	130021	2	2	0.02	No	Mar-08	
lvy Village-	130004	2	2	0.03	No	Mar-08	
Muldon-	130024	2	2	0.07	No	Mar-08	
Pine Bluff-	130017	2	2	0.07	No	Mar-08	
Una-	130023	2	2	0.04	No	Mar-08	

FLOURIDE

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	4	4	0.73	No		Erosion of natural deposits.
Beasley II-	130025	4	4	1.10	No		Additive which promotes strong
Griffith-	130015	4	4	0.70	No		teeth. Discharge from fertilizer.
Gates-	130021	4	4	0.82	No	Mar-08	
Ivy Village-	130004	4	4	0.77	No	Mar-08	
Muldon-	130024	4	4	0.48	No	Mar-08	
Pine Bluff-	130017	4	4	0.38	No	Mar-08	
Una-	130023	4	4	0.30	No	Mar-08	

LEAD

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0	15	0.002	No		Corrosion of household plumbing
Beasley II-	130025	0	15	0.001	No		systems. Erosion of natural
Griffith-	130015	0	15	0.002	No		deposits.
Gates-	130021	0	15	0.003	No	Jul-07	•
lvy Village-	130004	0	15	0.002	No	Jul-08	
Muldon-	130024	0	15	0.001	No	Aug-04	
Pine Bluff-	130017	0	15	0.002	No	Jul-07	
Una-	130023	0	15	0.003	No	Jul-08	

COPPER

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	1.3	1.3				Corrosion of household plumbing
Beasley II-	130025	1.3	1.3	0.70	No		systems. Erosion of natural
Griffith-	130015	1.3	1.3	0.10	No	7	deposits.
Gates-	130021	1.3	1.3	0.10	No	Jul-07	
lvy Village-	130004	1.3	1.3	0.00	No	Jul-08	
Muldon-	130024	1.3	1.3	0.10	No	Aug-04	
Pine Bluff-	130017	1.3	1.3	0.30	No	Jul-07	
Una-	130023	1.3	1.3	0.30	No	Jul-08	

NITRATE/NITRATE

Well-PWS I	ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley l-	130016	10	10			<u> </u>	Runoff from fertilizer use; leaching
Beasley II-	130025	10	10	0.25	No		from septic tanks and sewage.
Griffith-	130015	10	10	0.25	No		Erosion of natural deposits.
Gates-	130021	10	10	0.25	No	Mar-09	e de la constant de posits.
lvy Village-	130004	10	10	0.25	No	Mar-09	
Muldon-	130024	10	10	0.25	No	Mar-09	
Pine Bluff-	130017	10	10	0.25	No	Mar-09	
Una-	130023	10	10	0.25	No	Mar-09	

HALOACETIC ACID HAA5

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.06	0.06	0.02	No		Disinfection Bi-product
Beasley II-	130025	0.06	0.06	0.02	No	Jun-08	•
Griffith-	130015	0.06	0.06	0.06	No	Aug-08	
Gates-	130021	0.06	0.06	0.02	No	Aug-08	
lvy Village-	130004	0.06	0.06	0.00	No	Aug-08	
Muldon-	130024	0.06	0.06	0.02	No	Aug-08	
Pine Bluff-	130017	0.06	0.06	0.03	No	Aug-08	
Una-	130023	0.06	0.06	0.02	No	Aug-08	

TRIHALOMETHANE TTHM

IKINALUW	CIDANE	IIHN					
Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.08	0.08	0.04	No		Disinfection Bi-product
Beasley II-	130025	0.08	0.08	0.04	No	Aug-08	· · ·
Griffith-	130015	0.08	0.08	0.00	No	Aug-08	
Gates-	130021	0.08	0.08	0.04	No	Aug-08	
lvy Village-	130004	0.08	0.08	0.04	No	Aug-08	
Muldon-	130024	0.08	0.08	0.04	No	Aug-08	i i
Pine Bluff-	130017	0.08	0.08	0.04	No	Aug-08	
Una-	130023	0.08	0.08	0.04	No	Aug-08	

NITRATE/NITRATE

Well-PWS	D#	MCLG	MCL	Your Water	Violation	Comple Det	Marie 1 Cal
Beasley I-	130016	10			And the second s		Typical Source
Beasley II-						Mar-09	Runoff from fertilizer use; leaching
	130025	10	10	0.25	No	Mar-09	from septic tanks and sewage.
Griffith-	130015	10,	10	0.25	No		Erosion of natural deposits.
Gates-	130021	10	10	0.25			Erosion of flatural deposits.
ivy Village-	130004	10		0.25	4	Mar-09	
Muldon-	130024	10	10			Mar-09	
Pine Bluff-	130017			0.25		Mar-09	
		. 10	10	0.25	No	Mar-09	
Una-	130023	10	10	0.25	No	Mar-09	

HALOACETIC ACID HAAS

Well-PWS	iD#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.06		THE RESERVE TO SERVE THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED			
Beasley II-	130025	0.06				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Disinfection Bi-product
Griffith-	130015	0.08		7.02		Jun-08	4
Gates-	130021	0.06		0100		Aug-08	1
lvy Village-	130004	0.06				Aug-08	
Viuldon-	130024	0.06	0.06	- T.DO	***************************************	Aug-08	
Pine Bluff-	130017	0.06		0.02		Aug-08	
Jna-	130023		0.08	0.03	****	Aug-08	
	100023	0.06	0.06	0.02	No	Aug-08	

TRIHALOMETHANE TTHM

Well-PWS	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Cause
Beasley I-	130016	0.08		7197		1 111111	Typical Source
Beasley II-	130025	0.08		0.01			Disinfection Bi-product
Griffith-	130015	0.08		0.01		Aug-08	i
Gates-	130021	0.08		0.00		Aug-08	
ivy Village-	130004	0.08	0.08	V, V, T		Aug-08	
Muldon-	130024	0.08		0.04	COLUMN TO SERVICE AND ADDRESS OF THE PARTY O	Aug-08	
oine Bluff-	130017	0.08	0.08	0.04		Aug-08	
Jna-	130023	0.08	0.08			Aug-08	
	· · · · · · · · · · · · · · · · · · ·	3,001	0.00	0.04	NO	Aug-08	

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Siloam Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have you water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available form the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public

Health Laboratory offers lead testing for \$10.00 per sample. Please contact 601-576-7582 if you wish to have your water tested.

2009 Drinking Water Quality Report

Is my water safe?

Last yea, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last years water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persona who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers, EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lesson the risk of infection by microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

Where does my water come from?

Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.

Source water assessment and its availability.

Our source water assessment is available on request.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1/800/426/4791.

How can I get involved?

Our board members meet the 2nd Monday of every month at 5:00 pm at the Siloam Water Office. Our annual meeting is the 1st Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Siloam Water Contact Information Willie Davenport - Certified Operator P.O. Box 224 West Point, MS 39773 662-494-1852

Term	Definition
ppm	parts per million, or milligrams per liter (mg/l)
ppb	parts per billion, or micrograms per liter (ug/l)
MGL-Maximum Contaminant Leval	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which there is no known or expected risk to health, MCLGs allow for a margin of safety.
IT-Treatment Technique	A required process intended to reduce the level of a contaminant in drinking water.
AL-Action Level	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
MRDLG-Maximum Residua) Disinfection Level Goal	The level of a drinking water disinfectant below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL-Maximum Residual Disinfection Level	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Chlorine-						ž.		
Well-PWS	ID#	MOLG	MCL	Your Water	Low	High	Sample Date Violation	Typical Source
Beasley I-	130016	4	4	0.11	0.10	0.12	2009 N	Water additive usec
Beasley 11-	130025	- 4	4	0.20	0.18	0.20	2009 N	to control microbes.
Griffith-	130015	4	4	0.15	0.15	0.15	2009 N	There is convincing
Gates-	130021	4	4	0.15	0.14	0.15	2009 N	evidence that additi-
Ivy Village-	130004	4	4	0.10	0.10	0.10	2009 N	of a disenfectant is
Muldon-	130024	4	4	0.20	0.19	0.20	2009 N	necessary for contro
Pine Bluff-	130017	4	4	0.11	0.10	0.12	2009 N	of microbial
Una-	130023	4	4	0,12	0.10	0.15	2009 N	contaminants.

Inorganic and Redeactive Communication

West-Paris Ican	MOLG MOL	Your Water	Vicinitati	Seriose Cotal Transact	Inuce
Sessiey I 120016	- 2	2 0.08	No.	Mer 48 Dectors	of culting weeks and
Seasiey II 180025	2	2 0.02	No		frenka. Erusion of
Griffith 180015	1 2	21 0.03	No	Mar-US netural c	lecceite.
Gates 130021	2	2 0.02	No	May-DE	
Ny Villaga 130004	2	2 0.03	No	May-CE	
Autor 130024	2	ž 0.07	No	Mer-00	
Pine Styl 130017	2	2 0.07	No	1247-03	
Jan. 120021	3	2 0.04	14.	1847.7A	

Mail-PWS ID#	MCLG	MC.	Your Water Violeton	Samele Deta	Typical Source
Beselvy I 130015	1 4		0.73 No	Mer-06	Ercelon of natural decrease.
Pennipy I 100025			1,10 No	Mer-Of	Addition which promotes at ong
G456 130015	4		0.70 No	LANC GE	both Discharge from building
Oatox 120021			0.821No	Mar-08	
Bry Village - 30004			0.771No	Mar-06	
Museum 130024			0.481%0	36er-08	
Place Bloth 130017	7		0.38 No	Nor CI	
Line- 130093	7 4		0.35 No.	20,728	

(Appone	1999			2.(4)(90	3 3000-000	ijbaan, Diecharge from funktur,
Quicos.	120021	4	4	0.82 No	Mar-32	
By Village-		4	- 4	9.77 No	Mar-Of	
* Muldon-	130024	1 4	41	0.46 No	Mar O	
Phys Bluffs	130017	1 2	4	0.36 No	Mer-Ci	
Line-	130093	T 4	4	0.30 No	Mer-Co	1
LEAD						
Wes-PWS I		MOLG M		our Water View		Tigrical Source
Beesley I	130015	0	15	0.002 No		Committee of household purroung
Desertay R-	130025	1 01	15	0.001 No	26-08	systems. Broston of natural
	130013	0	15	0.000 No	244-08	systems. Broston of natural
Gelfel. Geles	130013	8	18 18		246-08 248-07	systems. Broston of natural departies
Griffes Golos- Iry Vissge-	130018 120021 130004	9	18	0.000 No	244-08	eyelerre. Broeion of rustine deposits.
Gallos- icy Vauspe- fausion	190018 190021 190004 190024	9 9 0 0	18 18	0.000 No 3.000 No	24-04 24-07 44-07 24-08	systems. Erasion of numeral deputation
Gefore Ley Visage- Fauriers Pine Buff	130018 120021 130004	8 8 0 0	15 18	0.000 No 0.000 No	24-05 24-07 24-07	systems. Erasion of numeral deputation

Lina-	130093	1		0.	6 144	1867-48		
LEAC								
Well-PW6	K)#	MOLG	MCI.	Your Water	Violetice	Sample Date	Typical Source	
Becauty I	130016	7 0			2 146		Conceilor of household pumping	
Beeslay X-		1 6	7		1 140		eyelerne. Broeton of numeral	
Griffith.	130018	,			e No		daponila	
Galas	120021	0	11		8 66	13.07		
vy Vitage-	130004	7 0	7.0	0.00	2 No	A408		
Auxon-	130024	C			1 No	Aug-04		
Pine Burt	180017	0		0.00	2 No	A8-07		
Una-	130023	0	1	0.00	8 No	25400		
cornen								
hiji-PWS				Your Water		Sample Date		
lexastry i	120016	1,3) Ha	Jul-08	Corrosion of household plumbing	
location lie	190025	1.3	1.3) 1 40		nyaterns, Erasion of natural	
eriffen.	130016	1.8	1.2		1140		deposits.	
Seles	130021	(4)	13		Pla	312-07		
vy Village Julian	130004	1.3	- 14		No.	Jus-08		
ina Skiff.	130004	1.3	1,1		No	Aya-94		
ma uum. Ma	130023	- 4			No	3,1407		
	IMAKKA	1.2	7,3	1 0.2	No.	Jul-06		

TRATEM								
espws (MCLG	WÇX.				Typical Bource	
	130018	10	10			May 6	unoff from fortilizer uses, leaching	
	130025	10	10			Mar-06	harn soptio basks seed sessiogn,	
Man-	130015	10	10	0.85	#40	M5A09	Erceion of natural deposits.	

MIT.		200	T HA	ш

Una-	130023	1 0	15	0.008	Yo	A5-0	<u> </u>
cornen							
VANAPA/S	(2)	MOLG	MO.	Your Water	Actation	Sample Date	Typical Source
Denstry I.	120016	1,3	1.3	0.60			Compaign of household plumbs
Boating II.		1.0		0.70	4 0		eysterns, Eraston of natural
Griffen.	130016	1.3	1.2	0.10(40		Adequate.
Octob-	130021	1.3	13	0.10	60	312-07	
Ny Vilege-		1.3	1.3	0.00	es .	JU8-08	
Mulden-	130024	1.3	1.3			Aug-04	
Pinc Skiff.	130017	1 13	1.5	0,80		Jul-07	
Una	130023	1 13	1,8	0.30		Jul-08	
Una-	130022			0.30 1			
UNA MITRATES	130023 #7#ATE	1.3	1,8			Jul-00	1
WIRETER WESPWS	130023 ETPATE DE		1,8	Your Water V	leksliger	Jul-00	Typics Source
Una- SITRATER WebPWE I Secrety I-	130023 677A7E 50 130018	1.3 MCLG 10	1,3 MCL		leksliger	Jul-00 Securie Date Mor-CE	Typhed Secure Runnel from Serialize uses, Septily
WESPWEI Benneyl- Senseyl-	130023 ETPATE De 130015 130025	MGLG	963L 10	Your Weter V 6.25 N 9.25 N	istolion O	Jul-00 Securie Date Mor-CE	Typics Source
WESPWS I Beauty I County I	190022 ETPLATE 19015 19025 19015	(A)	73 WGL 10 10	Your Water V 0.23 N 0.23 N 0.23 N	idelion S	Survive Certs Hot Off House	Typhed Secure Runnel from Serialize uses, Septily
Web.PW31 Bearby I- Colling	130023 ETRATE D6 130018 130028 130028 130028	MG.G 10	963L 10	Your Weter V 6.25 N 9.25 N	idelion S	Survive Certs Hot Off House	Typical George Ruself from forfitter user leachly from simple berks and crossing.
MITTAYEA Wespival Bearey I- Bearey I- Griffin Seas- ly Village	180023 6776ATE 06 130018 130026 130026 130026 130026 130004	(A)	1,8 401 10 10 10	Your Water V 0.23 N 0.23 N 0.23 N	icicalion B C	Jul-00 Sarryte Deta Mar Si Mar-03 Mar-03 Kar-03	Typical Bource Runsell from furfilteer uses; jeeschie from ansiste beste seed sessagen, Ercalion of national depocies.
Urss- MTDATEA Web.PW31 Bearby I- Dessity II- Cellist- September 1	180023 07RATE CS 130018 136025 136025 136021 180004 130024	MG. 0 10 10 10	1,8 10 10 10 10	Your Water V 0.25 N 0.25 N 0.35 N 0.25 N 0.28 N	ickelijen B B B B B	Service Certe May 05 May 05 May 05 May 05 May 05	Typical Bource Runsell from furfilteer uses; jeeschie from ansiste beste seed sessagen, Ercalion of national depocies.
MESPYS Sensey I- Sensey II- Sense by Vilippe	180023 6776ATE 06 130018 130026 130026 130026 130026 130004	MG. 8 10 10 10 10	1,8 401 10 10 10	Your Water V	icksion 6 2 0 5 5	Jul-00 Sarryte Deta Mar Si Mar-03 Mar-03 Kar-03	Typical Bource Runsell from furfilteer uses; jeeschie from ansiste beste seed sessagen, Ercalion of national depocies.

Well-PWS ID#	MOLO INCL	Your Water Tripletion	Sample Date	Typical Scores	*****
Beasley - 130018	0.06 0.0	0.021Nc	Aug-O	Cistofection (Seneduct	
Season 1- 130025	0.66 0.0	0.02 %	Jun-O		
GHRH- 130015	0.00 0.00	0,08 No	Aug-Ct		
Germa 130001	0,06 0.0	0.02 No	Aug-08		
by Vilinger 130004	0.08 0.0	0.00 No	Aug-08		
MURdon- 130024	0.08 0.0		Aug-08		
Pine Badt 190017	0.08 0.00	0,03 No	Aug-08		
Una 120023	0.00 0.00	0.021%	Aug-06		

Vell PV/S IDI	MCLO	M	Your Water Violation	Sample Date	Typical Source
saeyi 130018	0.08	0.08	0.041%	Aug-08	Distribution Bi-product
lessley II- 150025	0.08	0.06	0.04(No	Aug-09	
Miller 180015	0.08	0.08	0.00H/o	Aug-08	
iales 150021	0.08	0.00	0.04 No	Aug-08	
v Village 130004	0.08	0.08	0.04 No	Aug-06	
Auston- 190024	0.08	0.08	5.54 No	Aug-08	
Ham Bloth 190017	0.04	0.08	0.04 No	Aug-08	
Ma- 130023	0.00	0.08	0.04 Ho	Aug 08	

ACCOUNT NO. SERVICE FROM SERVICE TO RETURN THIS STUB WITH PAYMENT TO: SERVICE ADDRESS SILOAM WATER ASSOCIATION PRESORTED FIRST-CLASS MAIL U.S. POSTAGE PAID PERMIT NO. 26 WEST POINT, MS P.O. BOX 224 WEST POINT, MS 39773 HWY 47 METER READINGS
PREVIOUS PAY NET AMOUNT ON OR BEFORE DUE DATE DIVE IDANIE USED PAY GROSS AMOUNT AFTER DUE DATE 00/15/2010 9095 9042 NET AMOUNT 53 SAVE THIS CHOSS AMOUNT 23.05 4.61 CHARGE FOR SERVICES 27.66 CORRECTED COR NEW RATE INCREASE EFF 9/1/8016 AVL IN OFFICE. WTR MET DUE >>> 23.05 SAVE THIS >> 23.05 GROSS DUE >> 4.61 RETURN SERVICE REQUESTED 27.66 30-3009000 ROBERT GABLE C/O SCOTT GABLE 376 HWY 47 WEST POINT MS 39773 Ç